

SUGGESTED RATES OF USE FOR

AGRICULTURAL USE

DOSAGE:

When Fungi and Pests are not present •

SILgrow must be added to your regular levels of water at the following rate:

- 200ml - 400 ml of SILgrow per acre, per production cycle.

When Fungi, pests or diseases are present •

SILgrow must be added to your regular levels of water at the following rate:

- 400ml - 800ml of SILgrow per acre, per production cycle.

APPLICATION PROCEDURE:

- Rinse the equipment to be used before and after application.
- SILgrow should be diluted in the typical amount of water used per acre.
- Agitate well before using.
- SILgrow should be diluted in water at least 1 hour before being applied.
- For better results, apply during the early morning or late afternoon hours.
- SILgrow should NOT be applied simultaneously, or mixed with fertilizers, fungicides, insecticides, or any other type of agricultural product.
- When applying fertilizers, apply SILgrow 48 to 72 hours before applying the fertilizer. When pruning takes place an application of SILgrow should follow for increased benefits.
- The solution of SILgrow in water should be used within 72 hours once diluted.
- Do not return diluted material to the main SILgrow container.



EXTRA APPLICATIONS

- Extra applications will not damage your crops, ornamentals, trees, plants, etc.
- SILgrow can be used every 5 to 10 days.



Working for the Land of Tomorrow

